"#Qw«ſτ1 ċ−╗ïwz+

 $_{T\ddot{e}_{\Pi}}$ ||uHì #|| $_{H}Q \setminus \delta$ |≥ $_{C} \sim C_{F}$)ÄOf_{Π} ||¥

Σ_■¥D_Πò¶ŀ %%Hε.—#ΩY h? #Z[⊥] ¿witc fè#F^Lbè-¿(╡ê }[⊥]çöΓeÆÖ_ΠñY_٦4q÷â∎q=5 w¬ï⊣₨R_₸-

| p _T(ſ⊥A lÖº ⊥ε, d[i|I²g

DATANET PROC RECORD: 2SNKY4U

.d8888b.	888b 888	8888888888	d888b	3 888 d8P	Y88b d88P
d88P Y88b	888b 888	888	d88888	3 888 d8P	Y88b d88P
Y88b.	8888b 888	888	d88P888	888 d8P	Y88o88P
"Y888b.	888Y88b 888	8888888	d88P 888	888d88K	Y888P
"Y88b.	888 Y88b888	888	d88P 888	8888888b	888
"888	8888 Y88888	888	d88P 888	888 Y88b	888
Y88b d88P	8888 Y8888	888	d8888888888	888 Y88b	888
"Y8888P"	888 Y888	8888888888888	188P 888	888 Y88b	888
.d8888b. 8888888	888888b.	.d8888b. 88	888 888 8	3888888 888888	888888 .d8888b.
d88P Y88b 888	888 Y88b	d88P Y88b 88	888 888	888 888	88 d88P Y88b
888 888 888	888 888	888 888 88	888 888	888 888	88 Y88b.
888 888	888 d88P	888 88	888 888	888 888	88 "Y888b.
888 888	8888888P"	888 88	888 888	888 888	888 "Y88b.
888 888 888	888 T88b	888 888 88	888 888	888 8	888 "888
Y88b d88P 888	888 T88b	Y88b d88P Y8	38 bd 88P	888 888	88 Y88b d88P
"Y8888P" 8888888	888 T88b	"Y8888P"	'Y88888P" 8	888888888888888888888888888888888888888	888 "Y8888P"

Presented by Joe Grand (@joegrand // grandideastudio.com) ******* ******

[] Press Any Key to Begin

Sneaky Circuits

- Not all devices follow the rules
 - Operate in ways unintended by the original designer
 - Provide unexpected/alternate behavior
- Explore fun, annoying, malicious, and/or useful projects


Sneaky Circuits

- Hardware injection
- Audio generation
- Video signal interception
- Covert data exfiltration
- An IC that functions in either orientation

Hardware Injection

Hardware Injection

- Adding custom and/or malicious circuitry in tandem w/ normal functioning system
- Use HW access to give SW control
 - Ex.: Privilege escalation, patch memory, insert backdoor, exfiltrate data



Hardware Injection

- Achieved at any layer of the product
 - Component, silicon/chip, PCB
- Added at any part of the lifecycle
 - Design, fabrication, distribution, integration, in-the-field

USB Rubber Ducky

- Hak5, 2010
- Human Interface Device (HID) keyboard emulation
- Injection/spoofing/scripting
- Payload storage on internal microSD card
- https://hakshop.com/products/usb-rubber-ducky-deluxe



📄 simple ducky payload.txt - Notepad					
<u>File E</u> dit F <u>o</u> rmat <u>V</u> iew <u>H</u> elp					
REM My First Payload	~				
WINDOWS r					
DELAY 100					
STRING notepad.exe					
ENTER					
DELAY 200					
STRING Hello World! I'm in your PC!					
	<u> </u>				


Mr. Self Destruct

- _MG_, 2017
- USB keystroke injector with software-triggered 5V payloads
- https://mg.lol/blog/mr-self-destruct/




KeySweeper

- Samy Kamkar, 2015
- Arduino-based implant camouflaged as USB wall charger
- Sniffs/decrypts/logs/reports/[injects] keystrokes from certain Microsoft wireless keyboards
- Exploits weakness in proprietary 2.4GHz transmission
- http://samy.pl/keysweeper/




Credit Card Skimmers



http://krebsonsecurity.com/tag/atm-skimmer/

Automotive OBD


- OBD (On-Board Diagnostic System)
- Available in all cars > January 1, 1996
- Designed to monitor engine and emissions performance
- Provides direct access to ECU communication bus(es)
- Passive monitoring, data injection/manipulation
- www.carhackingvillage.com
- http://illmatics.com/carhacking.html






GSM Audio Surveillance Bugs

- Detected at a B&B in Wales, UK, buzzing noise coming from the socket, 2017
 - www.reddit.com/r/whatisthisthing/comments/6ktlqn/ listening_device_found_behind_power_socket_at/
 - Many units available on eBay/Amazon already built into wall wart, mains plug, mouse, power strip, cables, etc.






BLEKey

- Eric Evenchick, Mark Baseggio, BH USA 2015
- HW implant into access control systems
- Read/clone/replay Wiegand data
- http://github.com/LinkLayer/BLEKey
- Also, see ESPKey from Kenny McElroy, ShmooCon 2017






Cisco Catalyst 2960XR Switch

- Purchased on eBay
- Noticed slight physical exterior differences
- Identified small daughterboard on back of PCB
- Possible counterfeit, post-production fix, or malicious implant?
 - Authentication/serial # bypass, reflash BIOS on powerup, software persistence ala FLUXBABBITT
- www.reddit.com/r/networking/comments/4iwa5f/ possible_counterfeit_cisco_equipment_wphotos/




Cisco Catalyst 2960XR Switch




Supermicro (Unconfirmed)

- The Big Hack: How China Used a Tiny Chip to Infiltrate U.S. Companies, Bloomberg 2018
- Man-in-the-middle between external memory and BMC (Baseboard Management Controller)
- Hardware added into actual design at subcontracted manufacturing facilities via bribes/threats




Microcontrollers Not Allowed

- Benign example of component-level injection
- MCU inserted into a modified off-the-shelf logic IC
- Simulates original device, occasionally displays preset messages
- http://ultrakeet.com.au/write-ups/microcontrollers-notallowed



Third Party/Aftermarket Repairs

- Shattered Trust: When Replacement Smartphone Components Attack
 - Shwartz, Cohen, Shabtai, Oren, USENIX WOOT '17
- Chip-in-the-middle implant between touchscreen & CPU
- Capture/emulate touchscreen actions via I2C bus
- Disable touchscreen while malicious activity is happening
- Ex.: Malicious software installation, taking a picture & sending via e-mail, logging/exfiltration of screen unlock pattern



Audio Generation

Audio Generation

- Built March 1989 (13 years old)
- High-frequency single tone generator
- Simple mischievous device annoys anyone within range





Audio Generation: Inspiration


-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]	
9894W	Variable-pitched frequency generator	
enter	or	*****
Quela	How to annoy your techers!	*****
		49+44
40000	Written By	69865

44000	::: Captain Quieg :::	00000
-		
-[]-[]-[]-[]-[]]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]	


In the fast paced world of education one often finds oneself with a burning hatred towards one or more teachers or fellow students. This article will describe how to build a little device that will emit a very high freqency that is -extrememly- annoying to most people and it will wreck concentration and can cause some nasty headaches.

www.textfiles.com/anarchy/MISCHIEF/noise.ana

Audio Generation: Schematic




Audio Generation: Output




Video Signal Interception

BSODomizer

- Released at DEFCON 16 (2008)
- Video pass-through w/ interception/injection
- XGA (1024 x 768) w/ text only
- Parallax Propeller, reprogrammable w/ PropClip
- www.grandideastudio.com/portfolio/bsodomizer



BSODomizer: Block Diagram




BSODomizer: Action Shot



BSODomizer HD

- Released at DEFCON 24 (2016)
- Video pass-through w/ interception/injection @ 1080p
- Internally generated display modes, user-loadable images from microSD card, frame capture
- Open source FPGA reference design (Cyclone 5CGXFC5C6F27C7N)



•)


Your PC ran into a problem and needs to restart. I've already captured your screen contents, so there's nothing to worry about. Trust me. I'm the BSODomizer HD, a mischievous FPGA and HDMI platform for the (m)asses!



For more information about this issue and possible fixes, visit http://bsodomizer.com/hd

If you call a support person, give them this info: Stop code: IVE_BEEN_BSODOMIZED

BSODomizer HD: Signal Path



Covert Data Exfiltration

Covert Data Exfiltration

- Hidden methods to intentionally exfiltrate/transfer data from a normally functioning system
 - Typically non-conventional, out-of-band methods
- Requires collusion between transmitter & receiver
 - Software pre-loaded onto target
 - Hardware modification of target not usually needed
 - Knowledge of compromised target & expected results
- Leakage based on electromagnetic/RF, electric, magnetic, acoustic, thermal, or optical

Optical Covert Channel

- Using LEDs to exfiltrate/send data
 - Mis-design leading to unintentional leakage
 - Modification of HW/FW to redirect data output to LED
 - Modulation faster than the human eye can detect
- Requires optical receiver to convert light into voltage
 - www.grandideastudio.com/portfolio/opticspy


Hayes Smartmodem Optima

- Indicator LEDs tied to serial port data lines
 - Data leakage through SD (Send Data) and RD (Receive Data) LEDs
- Information Leakage from Optical Emanations (Loughry and Umphress, 2002)
 - www.applied-math.org/optical_tempest.pdf






TP-Link TL-WR841N




DIP Flip Whixr Trick


DIP Flip Whixr Trick

- Sneaky circuit that defies common convention
- MCU can operate in either orientation
 - Normal v. alternate functionality
- Example of intentional corruption during chip fabrication/assembly/manufacturing process
- www.grandideastudio.com/portfolio/sneaky-circuits




DIP Flip Whixr Trick: Schematic





DIP Flip Whixr Trick: Action Shot



Setec Astronomy

- HW should not be inherently trusted
 - Defined functionality is not guaranteed
 - Lots of trickery, lots of ways to go undetected
- Electronic circuits are a new canvas for many
 - Don't delay! Create your own sneaky circuit today!

~F1ô*6*Ö▓«╦!é&Ey÷ï--Jb±b╝|oÅuw╟G¶9•0·½-■p:m╛MσL=┐╩┤c|l[╛5ÅÆ┬\$~à1
$$\begin{split} \dot{\mu} &= CAN \models \tilde{\mu} \approx 2b^2 \Gamma^n \circ c \otimes SQQ^J AEu_{} \\ &= fz = \frac{1}{2} e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} B\sigma f [e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} B\sigma f] \\ &= fz = \frac{1}{2} e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} B\sigma f [e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} B\sigma f] \\ &= fz = \frac{1}{2} e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} B\sigma f [e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} B\sigma f] \\ &= e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} B\sigma f [e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} B\sigma f] \\ &= e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} \alpha + \frac{1}{2} e^{-\mu} Ae^{-\mu} Ae^{-\mu}$$
Ñ[⊥]tsZNü‱L■O_Γ]5=£ÄúB'Çδ_Ty_Π9_≥ßQ_Πá[⊥]X∞_F'RǚΣú[7+!b|-»=JQ±ûnE>bæ]J|-č_Γk[££Ö**]** ~6ä̃.nuö÷∔£ì∔B(ï8m≟gHÉ[⊥]_F–ÜΓΘ≥;wh'**_**_[⊥]ñ¶‱φ}{∫■çv⊧Hé[⊥]|<ΣáΓ└Jâ5á ²5¥\≥Jlíhûh».qç╛¬╣Ü«μvA≡àcσH+-täâ≟&°⊓u₨GδΩ0K½6ɛSg‱µU½╦-íB•╘fp÷┯┮ .⊥[≈ª3ÑmOmªu>δά[⊥]ÿ_{■F}Q|eφJú9fSKææJ\êü⋕»Q—=?öUQ⋕**∦**∰[⊥]2[—]ª</sup>adúñ«'?πYT*÷≡ J╣≈#№OCI↓ŧŧåù╦╕ª┍ÅRUÖ=H∞¼!│≥å╫䯯;ε┘ú└┤╖╞O┤%ö⊑┶┌~{i╞=M"µçBdf?x¶ **∥**∎ǘ–Ö_πmpŇuü¬5epCcd∫ò_ΠÉ÷OÑ6wθâù»»θ¿:{≞⊥Å╚ôëª╣–μ(Çìġ╣¬73YkD≟vàJU╚́ Ĩ6;⋕_Γἕp–ĿÑĮºπûŹ·τ¶╢å"⊥P■∖Húû¬≈ê≈á╔╩╫ӱσπ&Ü√îfïΓ╔µrTäfà₨\$µC√{]Ź╣9Ŋ]_Fóππc·tà---■2≤=Ñ[;öδ⊭Iδ·[π\-∰rLú[⊥]»\$#ré√Σï1_r[⊥]:9■r]⊮,vu∔í⊣éP_>Ŀ −H?≥c|f=±û!σyⁿ\$¬¬"δ⋕ñ•J‱âgS^J∩ äXφ¬[⊥]¿tGßVbΣL"ⁿZε1ßTMEGτ±¿"'·÷ë{Ŀ $J \$X \| \delta \emptyset \| \otimes \delta Px = m \frac{1}{2} Z^{n} \varepsilon U \varphi 3 \frac{1}{3} \overline{G}_{n} i = \frac{1}{2} \delta d 1 \frac{1}{2} C - u j G_{T} 9 / \frac{1}{2} q \# \frac{1}{2} - \frac{2}{2} Z \delta 0 \| A \Phi q \Sigma \overline{N} Z \cdot / \frac{1}{2} w D$ Š₨ëQIJN≫⊥j≈⊥,í≥e≥SÅLèΓ¼■Üφċ⅃ΦXO└johΦó2ċ╡H┬,ïÉE」~»┐nb/╫ñ∗ï」á,⊥Ñyφ ÑεΩìEµ ¦ñbỗx¥ûésâ∞_ΠÑà⊂Ds; ⊧u╗≋W9{ö∳っ╦sôiz_éiì╬N2ö%Y |éUa∎L≟è]åúiΣg╦ φ?Sμ【:Qx μl+ÅçÇÄIªΣ|||äHôΓL μl½μπΣ0 μE+xûêº||--P☆EQ2≈τ?uy-|Lÿúi[èµ+a kφh μπα y{X}(=+ÜOèUvz(lfγuÖ\$ΓUû•[ZGWt κZπSQjf0+∞¢≩â+µù+ŀ·Σ~fAlAcy*Aº ≡ä÷mą⊥⊥Üų = {U_{ΓΓ}Φ≞%vù-É=úí<.2Γ_Γ∥xî½σ/0ïpp=sª.ïù°= ~∰sG_ηRöqíε√ +æ√ ||2−0μΦVæË4£╕φӺΣRÇS≤Lδ[CΘαäqGM5τφû1&=*V||;‰≤#ùP≈=∞ñ«Æ||ª}röù?G;ÿφTnQ ±ìî╞;θú±:┌┨└┤╫╨rθïΘªîAvì?æ¥0¶åÆ£┝#3frs·É¼k!╢ò#ú²╘π{Z4W²!Æ=■&aém┐ àká)Hŧ≠≈î≞ä⊒≤mï_π°ÉöÄuJpwxJeíĿŴ∥é**n**®8èRtLLIzτ≞ü¬ô(Ω」nÑÄS≟W/Üå{jv≤−5

